

**WE CLAIM:**

1           1.       A camera, comprising:  
2                    an image sensor including pixels for capturing an image having two or more  
3 region of interest segments and producing image data corresponding to the image;  
4                    a memory storing a map identifying selected ones of the pixels located in the  
5 region of interest segments within the image; and  
6                    an access controller configured to retrieve the image data associated with the  
7 selected pixels in response to the map.

1           2.       The camera of Claim 1, further comprising:  
2                    an additional memory for storing the image data corresponding to the image,  
3 said access controller being configured to access said additional memory to retrieve the  
4 image data associated with the selected pixels.

1           3.       The camera of Claim 1, wherein the plurality of pixels are arranged in rows  
2 and columns within a pixel array.

1           4.       The camera of Claim 3, wherein said selected pixels are located in one or  
2 more selected ones of the rows of the pixels within said pixel array, said access controller  
3 being configured to read the image data associated with the selected rows out of said image  
4 sensor row-by-row.

1           5.       The camera of Claim 4, wherein said image sensor is a complementary metal  
2 oxide semiconductor image sensor.

1           6.       The camera of Claim 4, wherein said image sensor is a charge coupled device  
2 image sensor.

1           7.       The camera of Claim 3, wherein said selected pixels correspond to individual  
2 ones of the pixels within the pixel array, said access controller being configured to read the  
3 image data associated with the selected pixels out of the image sensor pixel-by-pixel.

1           8.       The camera of Claim 7, wherein said access controller is further configured to  
2 calculate a reset time for each of the rows based on the map to provide a substantially  
3 uniform row exposure period throughout the pixel array.

1           9.       The camera of Claim 7, wherein said image sensor is a complementary metal  
2 oxide semiconductor image sensor.

1           10.      The camera of Claim 7, wherein said image sensor is a charge coupled device  
2 image sensor utilizing a global shutter.

1           11.      The camera of Claim 3, wherein the map includes coordinates of the selected  
2 pixels within the pixel array.

1           12.     The camera of Claim 3, wherein the map is a bit-wise map of the pixel array.

1           13.     The camera of Claim 3, wherein the map is a reduced resolution bit-wise map  
2 of the pixel array.

1           14.     The camera of Claim 3, wherein the region of interest segments correspond to  
2 blocks of pixels each having four corner pixels and the map includes coordinates of two of  
3 the corner pixels for each of the blocks of pixels.

1           15.     The camera of Claim 3, wherein the region of interest segments correspond to  
2 blocks of pixels each having four corner pixels and the map includes coordinates of one of  
3 the corner pixels for each of the blocks of pixels and dimensions of each of the blocks of  
4 pixels.

1           16.     The camera of Claim 3, wherein the region of interest segments correspond to  
2 blocks of pixels each having four reduced resolution corner pixels and the map includes  
3 coordinates of two of the reduced resolution corner pixels for each of the blocks of pixels.

1           17.     An optical inspection system, comprising:  
2                     a camera including an image sensor for capturing an image of a target surface  
3     having two or more region of interest segments within the field-of-view of the camera and  
4     producing image data corresponding to the image; and  
5                     an image processing system connected to the camera to receive and process  
6     only the image data associated with the region of interest segments.

1           18.     The optical inspection system of Claim 17, wherein said camera further  
2     includes:  
3                     an image sensor including pixels for capturing the image and producing the  
4     image data corresponding to the image;  
5                     a memory storing a map identifying selected ones of the pixels located in the  
6     region of interest segments within the image; and  
7                     an access controller configured to retrieve the image data associated with the  
8     selected pixels in response to the map.

1           19.    A method for imaging region of interest segments on a target surface,  
2    comprising:  
3                    capturing an image containing pixels;  
4                    storing a map identifying selected ones of the pixels located in region of  
5    interest segments within the image; and  
6                    retrieving image data corresponding to the image and associated with the  
7    selected pixels using the map.

1           20.    The method of Claim 19, wherein said retrieving further comprises:  
2                    storing the image data corresponding to the image; and  
3                    accessing the image data associated with the selected pixels.

1           21.    The method of Claim 19, wherein said retrieving further comprises:  
2                    reading the image data associated with the selected pixels row-by-row.

1           22.    The method of Claim 19, wherein said retrieving further comprises:  
2                    reading the image data associated with the selected pixels pixel-by-pixel.

1           23.    The method of Claim 22, further comprising:  
2                    calculating a reset time for each row of the plurality of pixels based on the  
3    map.

1           24.    The method of Claim 19, further comprising:  
2                   loading the map into a memory.

1           25.    The method of Claim 19, further comprising:  
2                   transmitting the image data associated with the selected pixels.